## **Supplemental Digital Content 1.** Six Dimensions to Assess Best Available Research<sup>13</sup>

Continuum of Evidence of Effectiveness					
	Well Supported   Supported	Promising Direction / Emerging / Undetermined More Research Needed	Unsupported   Harmful		
Effect	Found to be effective	Some evidence of effectiveness	Practice Ineffective constitutes risk of harm		
Internal Validity	True Quasi experimental experimental design design	Non-experimental Sound theory design No research No sound theory	True or quasi experimental design  Any design with results indicating negative effect		
lype or evidence/ research design	Randomized control Quasi trials and meta-analysis/ experimental systematic review design	Single group Exploratory Anecdotal/ design study Needs assessment	Randomized control trials or quasi results indicating experimental design negative effect		
Independent replication	Program replication with evaluation replication	Program replication Partial program replication without evaluation replication replication	Program Possible program replication with/ with evaluation replication replication		
Implement- ation Guidance	Comprehensive	Partial None	Comprehensive Comprehensive/ partial		
External and ecological validity	Applied studies - different settings (2+) Applied studies - similar settings (2+)	Real-world Somewhat real- informed world informed informed	Applied studies - same/different settings  Possible applied studies-similar/ different settings		

## Supplemental Digital Content 2. A Summary of the Best Practices Guide's Strategies and Ratings<sup>10</sup>

		Evidence of Effectiveness					Evidence of Impact			
	Strategy	Effect	internal Validity	Research Design	Independent Replication	Imple- mentation Guidance	External and Ecological Validity	Health Impact	Health Disparity Impact	Economic Impact
Domain 3: Health Care Systems	Promoting Team- Based Care to Improve Hypertension Control	1		1	4	1	474	1		
	Pharmacy: Collaborative Practice Agreements to Enable Collaborative Drug Therapy Management	1	1	A-4		•	~	-	•	474
	Self-Measured Blood Pressure Monitoring with Clinical Support		-		1	~	-	1	<b>△</b>	-
	Self-Management Support and Education	-	1		-			4	400	
	Reducing Out-of-Pocket Costs for Medications	1		1	-			474	1	A TOTAL
	Implementing Clinical Decision Support Systems	1	-		1	1		A		4
Domain 4: Community- Clinical Links	Integrating Community Health Workers on Clinical Care Teams and in the Community	1	**	474	474	A-4	-		4-4	1
	Community Pharmacists and Medication Therapy Management	-	-	-	4	4	-	1	-	

Color Palette	The palette selection was based on vibrancy, appeal, and a
COIOI I dictic	
	modern feel. Two colors (Pantone 300 and Pantone 368 2X)
	were used as the primary colors for the headings while two
	complementary colors (Pantone 811 2X and Pantone 447)
	were used to emphasize figures, summaries, call-out boxes,
	tables, or other important highlights in the text.
Photos	A distinctive style for the photos in the guide was defined by a
	mood of emotional warmth, friendliness, diversity, optimism,
	and positivity. Photos used throughout the guide illustrated
	living, working, and learning within public health settings and
	the health care field.
Varied Text Orientation	Varying page layouts were used to break up the text into easily
	digestible pieces of information and to give pages different
	looks. Specific strategies included varying the use of one
	column text to three column text, and incorporating in-text
	call-out boxes to highlight key messages and main points on
	more text-heavy pages.
Iconography	Icons were used to convey meaning and to help navigate the
	user through various sections of the guide. All icons were in
	simple line or flat icon style. This icon style was a minimalistic
	design approach that emphasized usability with a simplistic
	nature. It featured clean, open space, crisp edges, bright colors
	and two-dimensional illustrations.